Alter url

Bookstack reads the environment variable "APP_URL", which unfortunately cannot be altered permanently in Container station.

So, while you've started with a wrong URL, you will end up trying to set it straight.

You can set it your environment variable manually with ***export APP_URL=xxxxx***- but it will only work until the next startup of your docker.

Instead of redeploying a container or app, you can edit it manually.

1) To change the values in the database, use this command:

```
# Searches for  and replaces it with
php artisan bookstack:update-url

# Example:
php artisan bookstack:update-url http://docs.example.com https://demo.bookstackapp.com
```

2) to change the paths in the application, connect to the docker via terminal, and in the path, edit app.php
note: in the file it looks like the environment variable 'APP_URL' is being read.

```
/app/www/app/Config#vi app.php
```



```
    'recycle_bin_lifetime' => env('RECYCLE_BIN_LIFETIME', 30),

    // The limit for all uploaded files, including images and attac
    'upload_limit' => env('FILE_UPLOAD_SIZE_LIMIT', 50),

    // Allow <script> tags to entered within page content.
    // <script> tags are escaped by default.
    // Even when overridden the WYSIWYG editor may still escape scr
    'allow_content_scripts' => env('ALLOW_CONTENT_SCRIPTS', false),

    // Allow server-side fetches to be performed to potentially unk
    // and user-provided locations. Primarily used in exports when
    // in externally referenced assets.
    'allow_untrusted_server_fetching' => env('ALLOW_UNTRUSTED_SERVE

    // Override the default behaviour for allowing crawlers to craw
    // May be ignored if view has be overridden or modified.
    // Defaults to null since, if not set, 'app-public' status used
    'allow_robots' => env('ALLOW_ROBOTS', null),

    // Application Base URL, Used by laravel in development command
    // and used by BookStack in URL generation.
    'url' => 'http://wiki.sophior.com', //env('APP_URL'  '') === 'ht

    // A list of hosts that BookStack can be iframed within.
    // Space separated if multiple. BookStack host domain is auto-i
    'iframe_hosts' => env('ALLOWED_IFRAME_HOSTS', null),

    // A list of sources/hostnames that can be loaded within iframe
    // Space separated if multiple. BookStack host domain is auto-i
```

Revision #2
Created 17 September 2024 07:55:23 by Tim
Updated 17 September 2024 11:11:08 by Tim