

php8.2-fpm with nginx base

Composed from different sources to fit my purpose.

Requires docker to be running on the machine.

This will create a docker image with PHP8.2 using Nginx - which is usable for Laravel.

It's easiest to put the dockerfile together the script ***Dockerbuild.bat*** and run the script.

Dockerfile

```
FROM ubuntu:latest AS base
ENV DEBIAN_FRONTEND noninteractive

# Install dependencies
RUN apt update
RUN apt install -y software-properties-common
RUN add-apt-repository -y ppa:ondrej/php
RUN apt update
RUN apt install -y php8.2\
    php8.2-cli\
    php8.2-common\
    php8.2-fpm\
    php8.2-mysql\
    php8.2-zip\
    php8.2-gd\
    php8.2-mbstring\
    php8.2-curl\
    php8.2-xml\
    php8.2-bcmath\
    php8.2-pdo

# Install php-fpm
RUN apt install -y php8.2-fpm php8.2-cli

# Install composer
```

```
RUN apt install -y curl
```

```
RUN curl -sS https://getcomposer.org/installer | php -- --install-dir=/usr/local/bin --filename=composer
```

```
# Install nodejs
```

```
RUN apt install -y ca-certificates gnupg
```

```
RUN mkdir -p /etc/apt/keyrings
```

```
RUN curl -fsSL https://deb.nodesource.com/gpgkey/nodesource-repo.gpg.key | gpg --dearmor -o  
/etc/apt/keyrings/nodesource.gpg
```

```
ENV NODE_MAJOR 20
```

```
RUN echo "deb [signed-by=/etc/apt/keyrings/nodesource.gpg]
```

```
https://deb.nodesource.com/node_${NODE_MAJOR}.x nodistro main" | tee /etc/apt/sources.list.d/nodesource.list
```

```
RUN apt update
```

```
RUN apt install -y nodejs
```

```
RUN apt install -y git
```

```
# Install nginx
```

```
RUN apt install -y nginx
```

```
RUN echo "\
```

```
server {\n\
```

```
    listen 80;\n\
```

```
    listen [::]:80;\n\
```

```
    root /var/www/BookStack/public;\n\
```

```
    add_header X-Frame-Options "SAMEORIGIN";\n\
```

```
    add_header X-Content-Type-Options "nosniff";\n\
```

```
    index index.php;\n\
```

```
    charset utf-8;\n\
```

```
    location / {\n\
```

```
        try_files $uri $uri/ /index.php?$query_string;\n\
```

```
    }\n\
```

```
    location = /favicon.ico { access_log off; log_not_found off; }\n\
```

```
    location = /robots.txt { access_log off; log_not_found off; }\n\
```

```
    error_page 404 /index.php;\n\
```

```
    location ~ \.php$ {\n\
```

```
        fastcgi_pass unix:/run/php/php8.2-fpm.sock;\n\
```

```
        fastcgi_param SCRIPT_FILENAME $realpath_root$fastcgi_script_name;\n\
```

```
        include fastcgi_params;\n\
```

```
    }\n\
```

```
    location ~ /\.(!well-known).* {\n\
```

```
        deny all;\n\
```

```
    }\n\
```

```
}\n" > /etc/nginx/sites-available/default
```

```
RUN echo "\n\
#!/bin/sh\n\
echo \"Starting services...\"\n\
service php8.2-fpm start\n\
nginx -g \"daemon off;\" &\n\
echo \"Ready.\"\n\
tail -s 1 /var/log/nginx/*.log -f\n\
" > /start.sh
```

EXPOSE 80

CMD ["sh", "/start.sh"]

Dockerbuild.bat

With environment variables:

```
docker build --no-cache -t phpnginx:latest .
docker save phpnginx > phpnginx.tar
docker run --env-file .env -d -p 5050:80 phpnginx:latest
```

example .env

```
# Database details
DB_HOST='127.0.0.1' #change with yours
DB_PORT='234' # change with yours
DB_DATABASE='yourdbname'
DB_USERNAME='yourdbuser'
DB_PASSWORD='yourpass'
```

Without environment variables:

```
docker build --no-cache -t phpnginx:latest .
docker save phpnginx > phpnginx.tar
docker run -d -p 5050:80 phpnginx:latest
```

